

# Literature Review of EDTA Chelation



Ana Maria Mihalcea, MD, PhD 

Mar 24

 104

 50



- EDTA-based chelation therapy reduces combined cardiovascular events in post MI patients treated with optimal medical therapy (5-year NNT= 18).

*Slide Courtesy: The Trial to Assess Chelation Therapy (TACT) Initial Results Gervasio A. Lamas MD Chairman of Medicine Mount Sinai Medical Center Miami Beach FL Chief, Columbia University Division of Cardiology at Mount Sinai Professor of Medicine Columbia University Medical Center*

EDTA Chelation has been around for a over half a century, and has been successfully used by trained physicians. Recently, some doctors have been questioning my reports that EDTA Chelation is a beneficial therapeutic for the toxic metal contamination from vaccines and environmental sources - as well as my observed resolution of micro clotting in live blood analysis and clearing of live blood samples of the “Hydrogel Graphene” Ribbon structures seen. Additionally, I have seen significant clinical symptomatic improvements with my combination therapies including EDTA Chelation, anti aging and neurogenesis enhancing peptides like Epithalon, Selank and GHK Copper, Methylene Blue, Plasminex ( sister to Nattokinase), nitric oxide supplementation, Humic and Fulvic Acid, NAC, DMG, high dose Vitamin C, full nutritional supplementation, Hydrosol/ Colloidal Gold, alkaline diet and more depending on the patients. I have seen remarkable and consistent clearing of the blood and resolution of rouleaux and micro clotting in all patients treated within 1-2 infusions administered. Additionally consistent clinical improvements in blood pressure values, improved renal function, improved energy, decreased shortness of breath, improved mental clarity, reversal of ANA ( anti-nuclear antibody - marker of autoimmune disease)

and lowering of abnormally elevated D-Dimers.

EDTA Chelation therapy has been attacked in the United States for decades by the FDA and the medical establishment. Studies are hard to find but have been present for the last century. I highly recommend “*A Textbook on EDTA Chelation Therapy*” edited by Elmer Cranton, MD with a foreword of double Nobel Prize Winner Linus Pauling, PhD. (An additional excellent book is *Bypassing Bypass* by Dr. Elmer Cranton, MD). I would like to cite a few studies reported in this textbook, and you may find the topics applicable to current C19 shot side effects, Long Covid and shedding induced symptoms. Dear colleagues, please take another look at this remarkable treatment. Training courses are available through the American College for the Advancement of Medicine [www.acam.org](http://www.acam.org).

### **Mechanisms of action for EDTA:**

1. increased arterial diameter by 10% or more by reduced metallic cross linkages and improved elasticity of arterial tissue
2. preventing pathological peroxidation of lipid cell membranes, improving active cell transport functions and improving cellular ability to maintain normal cross membrane gradients of sodium, potassium, magnesium metabolites and humoral factors
3. improving microcirculation by direct action on endothelial basement membranes
4. reducing blood viscosity and increasing erythrocyte flexibility
5. reducing the rate of atheromatous plaque formation, allowing regression through natural healing.
6. reducing platelet aggregation
7. reducing lead and other toxic metals in the body

Note: An increase of 10% in arterial diameter in plaque filled vessel with turbulent flow is more than enough to double the flow of blood ( Pouiselle’s Law)

It has been proven that EDTA Chelation Therapy is capable of exerting beneficial effects by improving mitochondrial oxidative phosphorylation, enhancing the efficiency of cell respiration, even in the presence of compromised blood flow and diminished oxygen.

Eng, CT, Kline JJ, Murphy ML, Staub KD. Abnormal mitochondrial oxidative phosphorylation of ischemic myocardium reversed by calcium chelating agents. *J Mol Cell Cardiol* 1977;9:897-908

10 year follow up of 59 patients treated with EDTA Chelation therapy showed a 90% reduction in the incidence of cancer, when compared with 231 control patients. Statistically significant.

Blumer W, Reich T. Leaded gasoline- a cause for cancer. *Environmental International*. 1980;3:465-71

15 patients with well documented impairment of cerebral blood flow were studied utilizing the isotope technetium 99m. A new technique for the objective measurement of abnormalities and for measuring improvement as a result of intravenous treatment with disodium EDTA chelation therapy is described for the first time. A highly significant improvement ( $p=0.0005$ ) in cerebral blood flow occurred following approximately 20 intravenous infusions of disodium EDTA. All 15 patients improved clinically, including one with little or no improvement in cerebral blood flow. EDTA chelates and removes aluminum as well as calcium.

H Richard Casdorff, Md, PhD *EDTA Chelation Therapy: Efficacy in Brain Disorders* pp142 “A Textbook on EDTA Chelation Therapy” edited by Elmer Cranton, MD

28- months retrospective analysis of 2870 patients with documented atherosclerosis and other degeneration age- associated diseases who were treated with intravenous disodium magnesium EDTA chelation therapy. Marked improvement occurred in 76.9% and good improvement in 17% of treated patients with ischemic heart disease. Marked improvement occurred in 91 % and good improvement occurred in 8% of patients treated with peripheral vascular disease and intermittent claudication. In patients with other cerebrovascular and other degenerative cerebral diseases ( like dementia), 24% had marked improvement and 30% had good improvement. Of four patients with scleroderma, 3 had marked improvement and 1 had good improvement. 75% of all patients had marked improvement in symptoms of vascular origin. Independent of pathology, 89% of all treated patients had marked or good improvement.

Efrain Olszewer MD, James Carter MD *EDTA Chelation Therapy: A Retrospective Study of 2870 Patients*. *J Adv Med* 1989;2:197-211

Retrospective study EDTA chelation in 470 patients with peripheral vascular disease. Improvement 80-91%. Of 92 patients referred for surgical intervention only 10 required ultimate surgery saving an estimated 3 Million Dollars of insurance money. No adverse effects over 6 years.

*Hancke C, Flythe K. EDTA Manipulering Ugeskr Laeeger 1992;154:20013-2215*

139 private practice patients with chronic fatigue. 3 gram EDTA Chelation infusions plus supportive multivitamin/ trace mineral supplementation extending a mean of 61.4 days. No exhaustion findings rose by 25%, mean exhaustion score decreased by 37%. In the most symptomatic fatigue group improvement was 39%.

*The Effect of EDTA Chelation Therapy with MultiVitamin/Trace Mineral Supplementation upon Reported Fatigue Edward McDonagh, DO, Charles Rudolph DO, PhD, pp273 "A Textbook on EDTA Chelation Therapy" edited by Elmer Cranton, MD*

13 subjects with chronic degenerative renal disease were treated with infusions that included EDTA, vitamins, minerals and oral supplements. Following 20 infusions, creatinine clearance significantly improved ( 46% in 10 infusions, additional 8% by 20 infusions)

*Keith Senert, MD et al. The Improvement in Renal Function following EDTA Chelation and Multivitamin -Trace Mineral Therapy: A Study in Creatinine Clearance. Medical Hypothesis, Vol15, 1984*

[Effect of disodium EDTA chelation regimen on cardiovascular events in patients with previous myocardial infarction: the TACT randomized trial](#)

Infusion treatments Active infusions: Na<sub>2</sub>EDTA 3 g, ascorbic acid 7 g, B vitamins, others (total 500 mL) vs Placebo infusions ): 0.9N NaCl + 6g dextrose (total 500 mL)  
55,222 infusions administered

Urine Lead excretion increased by 4292%. Urine Cadmium excretion increased by 800%. EDTA-based chelation therapy reduces combined cardiovascular events in post MI patients treated with optimal medical therapy (5-year NNT= 18).

Compared with optimal medical therapy + placebo/placebo, optimal medical therapy + active/active demonstrates an enhanced reduction in clinical events (HR (95% CI): 0.74 (0.57, 0.95), P = 0.016) This reduction is of sufficient magnitude to be clinically significant (5-year NNT= 12) CONTEXT: Statin therapy for secondary prevention: 5.1 year NNT was 16. ( NNT= number needed to treat for one successful outcome)

**Patients with diabetes demonstrate enhanced efficacy with EDTA chelation.**

Compared with placebo, EDTA-treated patients demonstrated a 41% reduction in Cardiovascular endpoints (p=0.0002, 5-year NNT = 7), and a 43% reduction in total mortality (p=0.011, 5-year NNT=12). CONTEXT: Statins for secondary prevention in DM o major coronary events: 5-year NNT= 15.

### [EDTA Chelation Therapy for the Treatment of Neurotoxicity](#)

Neurotoxicity can be caused by numerous direct agents, of which toxic metals, organophosphorus pesticides, air pollution, radiation and electromagnetic fields, neurotoxins, chemotherapeutic and anesthetic drugs, and pathogens are the most important. Other indirect causes of neurotoxicity are cytokine and/or reactive oxygen species production and adoptive immunotherapy. The development of neurodegenerative diseases has been associated with neurotoxicity. Which arms are useful to prevent or eliminate neurotoxicity? The chelating agent calcium disodium ethylenediaminetetraacetic acid (EDTA)—previously used to treat cardiovascular diseases—is known to be useful for the treatment of neurodegenerative diseases.

Major Mechanisms Underlying the Efficacy of EDTA Chelation Therapy against Neurotoxicity

**Chelation of Toxic Metals:** EDTA is able to bind toxic metals and to create stable complexes in vitro.

**Antioxidant Activity:** EDTA is itself an antioxidant agent, provoking ROS reduction and the increase of total antioxidant capacity in the blood samples of Cellfood-treated ND patients. It has already been shown how, after ten sessions of chelation therapy, plasma peroxide levels and DNA damage decrease significantly

**Endothelium Protection:** Serum creatinine levels did not increase significantly, nitric oxide (NO) levels and endothelial NO synthase renal expression improved, adhesion molecule Mac1 expression reduced, and TNF $\alpha$ -induced vascular leakage was prevented. The in vitro effects of EDTA in modulating human umbilical vein endothelial cell (HUVEC) activation induced by TNF $\alpha$  were also examined. TNF $\alpha$ -generated F-actin stress fibers reduced, as highlighted by normal tubulin distribution, in keeping with a well spread, quiescent endothelial phenotype. The results obtained regarding the avoidance of EDTA endothelial activation are in agreement with the beneficial effects of EDTA in vivo in patients affected by CVD.

**Potential Antimicrobial Agent:** Tetrasodium EDTA has been proposed as an antimicrobial and antibiofilm agent for use in wound care. Indeed, a low concentration of t-EDTA (4%) solution was able to kill *Staphylococcus aureus*, methicillin-resistant *Staphylococcus aureus*, *Staphylococcus epidermidis*, *Pseudomonas aeruginosa*, and *Enterococcus faecalis* within in vitro biofilms after a 24 h contact time.

Here are some of my reported findings and research:

Dr. Ana's Newsletter

### **Aluminum: The Brain Toxin Found Everywhere, Ways to Remove - Epoch Times Article that I was interviewed for**

Heavy metals test after 1 IV Chelation from a patient in my office: Note extremely high Aluminum level in conjunction with many other metals which are synergistically toxic to the body. The Epoch Times interviewed me for this article on Aluminum toxicity...

[Read more](#)

3 months ago · 119 likes · 58 comments · Ana Maria Mihalcea, MD, PhD

Dr. Ana's Newsletter

---

## **EDTA Chelation Dissolves the Artificial Intelligence Magnetic Hydrogel Weapon**

I have been advocating for months that EDTA Chelation as a treatment solution for the C19 injected, as it effectively removes metals, and can detoxify the body even from Graphene. As a certified Chelation practitioner, it is evident to me that EDTA is needed for the environmental bombardment of this AI parasitic life form, that we are exposed to via C19...

[Read more](#)

5 months ago · 78 likes · 64 comments · Ana Maria Mihalcea, MD, PhD

Dr. Ana's Newsletter

---

## **THERE IS HOPE - EDTA CHELATION WORKS and What Really IS COVID???**

100x: Ribbon structures and Rouleaux formation everywhere. I had a young unvaccinated patient in his 30's come see me in November. He had just had "Covid" less than three weeks ago and was feeling fatigued, had brain fog, couldn't sleep. He had taken full course of Ivermectin and the usual supplements, Quercetin, Zinc, Vitamin D and C. I looked at his b...

[Read more](#)

3 months ago · 334 likes · 383 comments · Ana Maria Mihalcea, MD, PhD

Dr. Ana's Newsletter

---

## **Is EDTA Chelation and Intravenous Vitamin C An Additional**

## Hopeful Medical Treatment For C19 Vax Injury? How Can Toxic Metals Found in C19 Shots Synergistically Harm The Body?

There has been much discussion recently regarding the toxic metal self-assembly nanoparticles in the C19 shots and their evidence in Live blood analysis of the C19 injected. The recent German Vaccine Workgroup report found extensive metals. Italian researchers found these self-assembly nanoparticles in the Live blood analysis of C19 injected people...

[Read more](#)

7 months ago · 44 likes · 11 comments · Ana Maria Mihalcea, MD, PhD

Dr. Ana's Newsletter is a reader-supported publication. To receive new posts and support my work, consider becoming a free or paid subscriber.

### 50 Comments



**Elizabeth Faraone** Mar 24

Dear Ana, this research means so much to me. I'm a 38 year old living in Canada and have had unusual neurological symptoms that began in my early 30s. I've had multiple visits with my GP, been to the ER several times, had an MRI and saw a neurologist. Everything came back negative to both my relief and horror. I don't think there was a day in 2017-2018 that I



back negative to both my relief and horror. I don't think there was a day in 2017-2018 that I didn't cry on my way to work, knowing in my heart something was wrong and thinking I may not be around long enough to watch my kids grow up (who are my world). I suffered in silence for a long time. Enter Covid, I was lucky enough to be red pillled by Dr. Mercola early on. Enter the vaccine. I knew to stay far away from that!!!!!!Lost my dream job as a health care professional with March of Dimes Canada. They mandated everyone!!! Even the virtual volunteers!!!!!!!!!!!!!! My heart aches for my former team and clients (the ones who are still alive). Enter the Canadian Adverse Events Reporting System. I began volunteering for them, documenting people's accounts of their adverse reactions to the C19 vax. Enter your Substack. Now I don't feel so alone. The idea that there could be treatment out there that could help me, in edition to your other many beautiful and brilliant talks about humans as spiritual beings, self healing etc. has pulled me out of a dark, lonely hole. I share your substack with many people I talk to. I feel light hearted again. I am joyful and I have hope. Thank you, sincerely and deeply, for all that you do ❤️

❤️ LIKED (15)     REPLY    ...

8 replies by Ana Maria Mihalcea, MD, PhD and others



**Joseph Kerner**    Writes [Create Your Ideal Life](#)    Mar 24

I've had around 60 EDTA chelations over the past 12 years. I swear by this treatment. It resolved a heart issue, and has helped keep me energetic and healthy.

❤️ LIKED (7)     REPLY    ...

3 replies by Ana Maria Mihalcea, MD, PhD and others

48 more comments...