Might Enzymes Help Blood Clotting Associated With COVID-19?

Analysis by Dr. Joseph Mercola ✓ Fact Checked

January 27, 2023
Download PDF

Previous Next Story

STORY AT-A-GLANCE

- Aside from sepsis — which in one study was present in 59% of COVID-19 patients and 100% of those who died — blood clots also appear to be common in patients with severe COVID-19 disease
- Abnormal coagulation is associated with poor prognosis in patients with COVID-19. According to one case report, 71.4% of patients who died of COVID-19 had criteria for disseminated intravascular coagulation (DIC) while only 8.6% of patients who survived met that criteria
- DIC refers to a systemic disorder that affects blood coagulation and can result in organ dysfunction and death. Prothrombotic DIC causes persistent blood clots. Sepsis is one of the most common causes of DIC
- Doctors are divided when it comes to treatment of DIC. Some believe early administration of blood thinners is advisable, while other data suggest they don't improve outcomes
- Holistic prophylactic alternatives that might be beneficial against blood clots include proteolytic enzymes such as lumbrokinase, nattokinase and serrapeptase, all of which act as natural anticoagulants by breaking down the fibrin that forms the blood clot

From Dr. Joseph Mercola

Since COVID-19 first entered the scene, exchange of ideas has basically been outlawed. By sharing my views and those from various experts throughout the pandemic on COVID treatments and the experimental COVID jabs, I became a main target of the White House, Biden administration and the global cabal.

Propaganda and pervasive censorship have been deployed to seize control over every part of your life, including your health, finances and food supply. The major media are key players and have been instrumental in creating and fueling this fear.

I am republishing this article in its original form so that you can see how the progression unfolded.

Originally published: May 9, 2020

Aside from sepsis — which in one study[1] was present in 59% of COVID-19 patients and 100% of those who died — blood clots also appear to be common in patients with severe COVID-19 disease.[2,3,4] As reported by STAT news:[5]

> *"Doctors treating the sickest COVID-19 patients have zeroed in on a new phenomenon: Some people have developed widespread blood clots, their lungs peppered with tiny blockages that prevent oxygen from pumping into the bloodstream and body …*
>
> *Physicians from the U.S., the Netherlands, and China have published a number of case reports in scientific journals about Covid-19 patients with a multitude of small blood clots. In one report, researchers in China said 7 out of 10 patients who died of Covid-19 had small blood clots throughout the bloodstream, compared to fewer than 1 in 100 people who survived …*
>
> *It still isn't clear why the virus leads to these blood clots forming, or why patients' bodies can't break them up. It also isn't clear how significant a role they play in a patient's illness."*

Blood Clots — A Newly Discovered Hallmark of Severe COVID-19

According to a case report published April 8, 2020:[6]

> *"A hallmark of severe COVID-19 is coagulopathy, with 71.4% of patients who die of COVID-19 meeting … criteria for disseminated intravascular coagulation (DIC) while only 8.6% of patients who survive meet these criteria.*
>
> *Additionally, it has become clear that this is not a bleeding diathesis but rather a predominantly pro-thrombotic DIC with high venous thromboembolism rates, elevated D-dimer levels, high fibrinogen levels in concert with the well-thrombotic heart, and pulmonary congestion with microvascular thrombosis and occlusion on pathology in addition to mounting experience with the rates of central line thrombosis and vascular occlusive events (e.g. ischemic limbs, strokes, etc) …*
>
> *There is evidence in both animals and humans that fibrinolytic therapy in Acute Lung Injury and ARDS improves survival, which also points to fibrin deposition in the pulmonary microvasculature as a contributory cause of ARDS and would be expected to be seen in patients with ARDS and concomitant diagnoses of DIC or other hepatic venous sources such as what is observed in more than 70% of those who die of COVID-19."*

There's a whole lot of tongue twisting medical jargon in that abstract, but the key points are these: DIC refers to a systemic disorder that affects blood coagulation and can result in organ dysfunction and death.

Prothrombotic DIC causes blood clots to form while simultaneously activating the fibrinolytic system[7] — the pathway responsible for degrading and removing clots in the blood stream. The process is dysregulated, however.

The final step in the fibrinolytic process is the cleavage of fibrin, which results in the formation of degradation products such as D-dimer.[8] High D-dimer levels indicate that your body is breaking down one or more blood clots.

Fibrinogen is a clotting factor essential for proper blood formation. Fibrinogen levels typically rise when inflammation or tissue damage is present. Fibrinogen is broken down by the enzyme thrombin into fibrin, which causes a clot to form.

As the name implies, antithrombin[9] is a protein that inactivates enzymes involved in blood coagulation. In COVID-19, antithrombin levels tend to be low and fibrinogen levels high. The end result is blood clots that are not properly degraded and removed.

Abnormal Coagulation Associated With Poor Prognosis

According to a February 19, 2020, report[10] in the Journal of Thrombosis and Haemostasis, abnormal coagulation is associated with poor prognosis in patients with COVID-19.

Of 183 consecutive COVID-19 patients treated in a Chinese hospital, those who died had significantly higher levels of fibrinogen, D-dimer and other fibrin degradation products; 71.4% of those who died also met the criteria of DIC, compared to just 0.6% of those who recovered.

Lewis Kaplan, a University of Pennsylvania physician and head of the Society of Critical Care Medicine, told The Washington Post[11] that while clotting complications are common in cancer and trauma patients, "they don't clot like this."

According to Kaplan, "The problem we are having is that while we understand that there is a clot, we don't yet understand why there is a clot." The Washington Post[11] also quotes Harlan Krumholz, a cardiac specialist at the Yale-New Haven Hospital Center, who said:

> *"One of the theories is that once the body is so engaged in a fight against an invader, the body starts consuming the clotting factors, which can result in either blood clots or bleeding. In Ebola, the balance was more toward bleeding. In COVID-19, it's more blood clots."*

Interestingly enough, the Journal of Thrombosis and Haemostasis paper[12] highlights the link between DIC and sepsis, noting that:

> *"Sepsis is well established as one of the most common causes of DIC, development of DIC results when monocytes and endothelial cells are activated to the point of cytokine release following injury, with expression of tissue factor and secretion of von Willebrand factor."*

In other words, COVID-19 patients found to have blood clots should probably be assumed to have sepsis as well, and the sepsis must be properly addressed too. Unfortunately, sepsis is commonly overlooked, even by medical professionals, as many of the symptoms of sepsis look very similar to those of both flu and COVID-19. Examples include high fever with chills and shivering, unusual sweating, dizziness, difficulty breathing, shortness of breath, muscle pain and cold, clammy skin.

Cellular and molecular biologist Judy Mikovits, whom I recently interviewed, believes the clotting issue is related to cytokine release but not from SARS-CoV-2. She is confident that a combination with the retrovirus XMRV is causing this problem.

FREE! Download this Article Before It Disappears
Download PDF
FREE! Download this Article Before It Disappears
Download PDF
FREE! Download this Article Before It Disappears
Download PDF
FREE! Download this Article Before It Disappears
Download PDF

Vitamin C Protocol Lowers Sepsis Mortality

Dr. Paul Marik's protocol of intravenous (IV) vitamin C with hydrocortisone and thiamine (vitamin B1) has been shown to dramatically improve chances of survival in patients with sepsis.[13]

His retrospective before-after clinical study[14] showed giving patients 200 mg of thiamine every 12 hours, 1,500 mg of ascorbic acid every six hours, and 50 mg of hydrocortisone every six hours for two days reduced mortality from 40% to 8.5%. Importantly, the treatment has no side effects and is inexpensive, readily available and simple to administer, so there's virtually no risk involved.

Marik's sepsis protocol can be a lifesaver, so you'd be wise to discuss it with your doctor if you're hospitalized, especially if you or someone you love is diagnosed with COVID-19, considering how common sepsis is in those with more severe disease.

Sepsis is also often the result of a secondary infection contracted while in the hospital, and they're now finding hospitals are primary vectors of disease, so it's prudent to be prepared.

This way, should you develop sepsis while you're admitted, your medical team already knows your wishes and can act swiftly. According to Marik, the best results are obtained when the connection is administered within the first six hours of presentation of symptoms.[15] The longer you delay treatment, the less likely it will be successful. If your doctor refuses to consider it offhand, convince him or her to review the studies cited here.[16,17,18,19,20,21,22,23]

Doctors Struggle to Identify Best Blood Clot Treatment

As for the blood clots, doctors are unsure and divided when it comes to treatment. Some believe it's advisable to administer blood thinners early, even in mild cases treated at home. Some case studies, however, suggest anticoagulants aren't doing much to improve outcomes.[24]

Systemic thrombosis with tissue plasminogen activator (tPA) — an intravenous "clot busting" drug used for heart attacks and stroke — has also resulted in mixed success.[25] As reported by STAT news:[26]

> *"Doctors around the country are already giving patients heparin or tPA. … The drug tPA does carry its own risk. It's typically given to stroke patients within hours of symptoms to reduce the risk of bleeding in the brain.*
>
> *But [transplant surgery fellow and researcher Hunter] Moore pointed out that the risk of those bleeds for patients on tPA is lower than for Covid-19 patients who are placed on ECMO [extracorporeal membrane oxygenation] machines to improve oxygen levels in their blood."*

Natural Clot-Busters

Holistic prophylactic alternatives that might be beneficial against blood clots include proteolytic enzymes such as lumbrokinase, nattokinase and serrapeptase, all of which act as natural anticoagulants by breaking down the fibrin that forms the blood clot.

As noted in one 2018 Scientific Reports paper,[27] "Defibrinogenation, inhibition of platelet aggregation, and/or interference with components of the blood coagulation cascade are some of the key mechanisms by which proteolytic enzymes exert their anticoagulant effect." They also have anti-inflammatory effects.

Lumbrokinase, a complex fibrinolytic enzyme extracted from earthworms, is a highly effective antithrombotic agent that reduces blood viscosity and platelet aggregation.[28] It also degrades fibrin, which is a key factor in clot formation.[29,30]

Some researchers have suggested lumbrokinase could be used "as secondary prevention after acute thrombosis," such as heart attacks and strokes.[31] A 2008 study[32] found its antiplatelet activity protected against cerebral ischemia.

It is important to note that lumbrokinase is about 300 times stronger than serrapeptase, and nearly 30 times stronger than nattokinase.[33,34,35] It is key the strong personal preference and recommendation if you are using a fibrinolytic enzyme.

Nattokinase, produced by the bacteria Bacillus subtilis during the fermentation of soybeans to produce natto,[36] is a strong thrombolytic,[37] comparable to aspirin[38,39] without the serious side effects.

It's been shown to break down blood clots and reduce the risk of serious clotting[40] by dissolving excess fibrin in your blood vessels,[41] improving circulation and decreasing blood viscosity. Interestingly, in one in vitro study,[42] the thrombolytic activity of equivalent amounts (meaning equivalent amounts) of nattokinase and tPA were found to be identical.

Serrapeptase, also known as serratiopeptidase, is a substance produced in the gut of newborn Bombyx mori silkworms that allows them to dissolve and escape from their cocoons.

Research[43] has shown it can help patients with chronic airway disease, lessening viscosity of sputum and reducing coughing. Like lumbrokinase and nattokinase, serrapeptase breaks down fibrin. It also helps dissolve dead or damaged tissue without harming healthy tissue.[44]

Original Comments

My #1 Best-Selling Book – Now in Paperback!

My latest book, "The Truth About COVID-19," is an instant best-seller. After thousands of reviews it has a nearly perfect 5-star rating, so grab your copy today before it's too late!

The Truth About COVID-19
by Doctor Joseph Mercola
★★★★★
7,128 ratings
ORDER NOW

Sources and References

TODAY'S FREE ARTICLES
1 Propaganda and Censorship Dominate the Information War
2 Combat Arthritis Pain With These Foods
3 Loneliness is an Epidemic

Login or Join to comment on this article

Hide Comments (34)
Post your comment

Sort Comments by: Top Rated | Newest | Oldest | Top Poster

Guillermus
Joined On 4/17/2015 8:47:48 AM
Add as Friend · Send Message

In addition to excellent enzymes for blood clots, holistic prophylactic alternatives that may be beneficial against blood clots include proteolytic enzymes such as lumbrokinase, nattokinase, and serrapeptase, which act as natural anticoagulants by breaking down the fibrin that forms the blood clot. ...articles.mercola.com/sites/articles/archive/2020/05/09/natural-treatments ... (2020) Blood platelets also demonstrate increased activity in people with obesity, diabetes, and insulin resistance, particularly increased aggregation, which may influence the fact that blood clots often form in the lungs with respiratory failure in severe manifestations.

of COVID-19. Very small clots called microthrombi can also form in the blood vessels of the lungs. These small clots prevent blood from reaching the air spaces of the lungs, where blood is normally oxygenated. It is common to have a fluid blood with a good diet that will be the best way to avoid blood clotting. Some foods and other substances that can act as natural blood thinners and help reduce the risk of clots include the following link: www.medicalnewstoday.com/ ...322384 Dietary supplements can change hemostasis by various mechanisms, ie, inhibit blood platelet activation, especially platelet aggregation, reduce arachidonic acid metabolism, and affect coagulation.

Supplementation with commercial products made from aroma berries (Aronox) has cardioprotective properties. This dietary supplement inhibited platelet aggregation, decreased cholesterol oxidation and reduced clot formation. They have high concentrations of phenolic compounds, which demonstrate antiplatelet activity, as well as anti-inflammatory and antioxidant properties. www.ncbi.nlm.nih.gov/ ...PMC5234 (2014) The polyphenol-rich extracts from black chokeberry and grape seeds impact changes in the platelet adhesion and aggregation induced by a model of hyperhomocysteinemia. www.ncbi.nlm.nih.gov/ ...PMC5362 (2013) Dietary supplements can change hemostasis by various mechanisms, ie, inhibit blood platelet activation, especially platelet aggregation, reduce arachidonic acid metabolism, and affect coagulation.

Reply · Mark as Spam · Posted On: 1/27/2023 6:50:16 AM
Like · Dislike

Guillermus
Joined On 4/17/2015 8:47:48 AM
Add as Friend · Send Message

Supplementation with commercial products made from aroma berries (Aronox) has cardioprotective properties. This dietary supplement inhibited platelet aggregation, decreased cholesterol oxidation and reduced clot formation. They have high concentrations of phenolic compounds, which demonstrate antiplatelet activity, as well as anti-inflammatory and antioxidant properties. www.ncbi.nlm.nih.gov/ ...PMC5234 (2014) The polyphenol-rich extracts from black chokeberry and grape seeds impact changes in the platelet adhesion and aggregation induced by a model of hyperhomocysteinemia. www.ncbi.nlm.nih.gov/ ...PMC5362 (2013) Dietary supplements can change hemostasis by various mechanisms, ie, inhibit blood platelet activation, especially platelet aggregation, reduce arachidonic acid metabolism, and affect coagulation.

Guillermus
Joined On 4/17/2015 8:47:48 AM
Add as Friend · Send Message

www.ncbi.nlm.nih.gov/ ...PMC3197940 (2008) The richest known natural source of dipeptides in the maqui berry they decrease platelet activity and may contribute to the prevention of thrombosis. Research on delphinidins showed improved endothelial function with elevated endothelial NO production, decreased platelet aggregation, and vascular anti-inflammatory effects.

www.ncbi.nlm.nih.gov/.../25892567 - (2015) Another interesting product with antipredator and antioxidant properties is Yucca bark extract, which contains various saponins. www.ncbi.nlm.nih.gov/.../15253149 - (2005)

Mark as Spam · Posted On : 1/21/2023 6:52:25 AM

Like · Dislike

Guillermo
Joined On 4/7/2015 8:47:48 AM
Add as Friend · Send Message

Of the main plants discussed in this review, which have antiplatelet activity, some include saffron, garlic, green tea, St. John's wort, ginger, ginkgo biloba, ginseng, and guarana. These medicinal herbs have phytochemical components, which are directly related to the antiplatelet activity of the plant, such as flavonoids, curcumins, catechins, terpenoids, polyphenols, and saponins. www.researchgate.net/profile/Brenda_Shoval/publication/310824779_Herbal ... (2017) europepmc.org/.../6333931 (2018) This review evaluates the current literature on the relationship between onion, garlic, tomato, and fermented consumption and blood platelet activation, which may have important implications for the prophylaxis and treatment of cardiovascular disease. academic.oup.com/.../5010721 (2016) Aged garlic extract suppresses platelet aggregation by changing the functional property of platelets link.springer.com/.../s11418-016-1055-4 (2017)

Mark as Spam · Posted On : 1/27/2023 6:53:04 AM

Like · Dislike

Guillermo
Joined On 4/7/2015 8:47:48 AM
Add as Friend · Send Message

Natural products most commonly used in the functions of blood platelets and herbal coagulation including garlic, echinacea, ginger, green tea and ginkgo, as well as 5 dietary supplements: vitamins, fish oil, coenzyme Q10, glucosamine, and chondroitin sulfate, garlic, ginger, green tea, and fish oil have antiplatelet properties. Table 1 lists selected commercial dietary supplements with a range of activities including antiplatelet properties; while Figure 2 presents the effects of various dietary components, including fruits, especially berries, vegetables, and dark chocolate and Arnica dietary supplements, Dolphirol and Fruitflow, as well as the parameters they influence, which may be important in the prophylaxis and treatment of cardiovascular diseases.

Fruitflow contains anti-angiotensin converting enzyme and lycopene extract, anti-inflammatory factors, making it an effective and natural cardio-protective functional food. Lycopene has cardioprotective properties preventing inflammation oxidation of cholesterol. www.ncbi.nlm.nih.gov/.../27086464 (2017) The antithrombotic activity of garlic was revealed through suppression of cyclooxygenase, decreased production of thromboxane, and vasoconstrictors such as prostaglandin and leukotriene by platelets.

Dolphirol plants with antithrombotic and anti-inflammatory activity are more important are turmeric, Chinese sage or danshen, flowering plants of the battery family Berberidaceae exhibits a cytoprotective effect on endothelial cells and increases plaque stability. Ellagic acid from pomegranate, polyphenols from the peel, and punicalagin decrease the activation of proinflammatory cytokines. www.ncbi.nlm.nih.gov/.../27766892 (2017) www.ncbi.nlm.nih.gov/.../PMC3733611 (2020)

Mark as Spam · Posted On : 1/27/2023 6:53:33 AM

Like · Dislike

Ronald_H
Joined On 1/10/2016 1:38:54 AM
Add as Friend · Send Message

Reply · Mark as Spam · Posted On : 1/27/2023 2:29:50 AM

Like · Dislike

ChrisColes
Joined On 5/29/2009 2:40:01 AM
Add as Friend · Send Message

I've been taking increasingly larger and larger doses of Nattokinase which appears to be harmless both empirically and from internet searches and quite beneficial to the degree that it seems. I'm thinking it's beneficial to me yet I'm the worst subject for noticing benefits because my health is already phenomenal. My expectations of benefits are keeping my amazing disease-free health and preventing disease. The best treatment for cardiovascular disease is to start living healthily thirty years before and then not having troubles thirty years later. Healthy lifestyle is far better than conventional "manage the symptoms" with man-made chemicals that have never existed in nature.

Reply · Mark as Spam · Posted On : 1/27/2023 2:36:06 AM

Like · Dislike

versatile
Joined On 10/16/2007 4:23:09 PM
Add as Friend · Send Message

The title is poor: "Might Enzymes Help Blood Clotting Associated With COVID-19?" - we don't want to "help blood clotting." While it seems clear that we have no idea what is actually causing the clots, even what the clots consist of, a better title would be "Might Enzymes Deter blood clotting associated with COVID-19."

Reply · Mark as Spam · Posted On : 1/27/2023 8:49:06 AM

Like · Dislike

Grahamjocx
Joined On 1/14/2018 9:15:15 PM
Add as Friend · Send Message

"Actually they are not blood clots' per se'. They are unusual, blood wood blocking, self-assembling, white, elastic, calcium-like, strong, fibrous structures, some of them up to a foot long and fitting the blood vessels. Not clotted blood. Search for Jane Ruby, Richard Hirschmann and Dr Brian Ardis; you'll be shocked numb. This is an interesting article as I'm using proteolytic, enteric enzymes daily and throughout the day right to break down fibrin bonds and lumps in my hands and feet caused by Dupuytrens contracture.

I'm ordering Mercola Lumbrokinase to add to the suite of enzymes I've recently started taking to deal with this serious problem. The surgeons (3 times each hand), and needle aponeurotomy treatments (3 times each hand), seemed to make the condition worse, requiring more treatments at shorter intervals, with the scar tissue becoming thicker, harder and faster growing. Allopathic business as usual, treat the symptoms, not the cause of the disease. I'm hoping Dr Mercola and the team will do something on this topic for the millions of us suffering this cholesterol disease, and add more enteric enzymes to the Mercola shop for us.

Anyway, I wondered if enzymes would break down clots caused by the chimeric, patented (by Moderna in 2016), a computer generated RNA closed ribbon? The exact copy of which has been found in jab serum analysis to be an integral part of the Moderna mRNA. The spike protein in particular. What I also find amazing is the discovery of scarlet and tentilene identified in Italian post mortem analysis of tissue taken from the jabbed dead that the Italian team analysed and reported on.

Ecarlne causes rapid clot formation and tentilene prevents the body's natural mechanisms from breaking down the clots. The confluences of enzyme information ne treating my DC condition and similar treatments for the jab serum spike protein and the human body produced spike protein following the mRNA jab is fascinating to say the least.

Reply · Mark as Spam · Posted On : 1/27/2023 6:55:50 AM

Like · Dislike

Cabochon
Joined On 10/17/2018 12:45:46 PM
Add as Friend · Send Message

Assuming that out three year debate on the "non existent" global pandemic was a waste of time and there has now been a virile face-i.e. there was one after all and the severity of the so called "Covid-19" infection can be even more dangerous than influenza, it seems the most promising treatment is by means of the body's own natural defence which in the latest paper by metalomin researchers Tai & Reiter, metalomin reduces the risk of death from the infection by a staggering 93 per cent in severe cases. Even they refer to "a pandemic" and that the infection "has ravaged the population". Back to square one then. No wonder Reiner Fuellmich's valiant efforts to bring justice to the criminals involved got nowhere.

Melatonin explains why children are protected as they produce more and therefore sleep more. Wondering why this natural remedy has not been suggested against influenza instead of ineffective vaccines. No need to wonder - you can't patent natural substances or can you? Reliable sources of melatonin as a supplement or cream appear to be freely available in the U.S. but not in the UK other than through Amazon. Information on trusted UK Sources welcomed. M Tai, D. K. and Reiter, R.J. 2021. Melatonin reduces the mortality of severely infected COVID-19 patients. ER Tan 2021 Melatonin Research (4).

Reply · Mark as Spam · Posted On : 1/27/2023 4:49:28 AM

Like · Dislike

jeff6075
Joined On 3/14/2016 1:41:14 PM
Add as Friend · Send Message

If you can, go outside on most days and get natural sunlight on most of your body. Maybe 20-30 minutes around noon. Just need to avoid burning.

Mark as Spam · Posted On : 1/27/2023 11:56:44 AM

Like · Dislike

brianjstiles
Joined On 9/15/2006 2:06:37 PM
Add as Friend · Send Message

Hello Cabochon, As you will doubtless already know due to ridiculous overprescriptive, nanny-state regulations it's prohibited to import melatonin into the UK...I got around this after finding M&S (Muscle and Strength) in the Usa...I regularly order Now Foods 3mg melatonin from them...It arrives into my pandlos seemingly unimpaired and certainly unopened, without my having to pay any exorbitant duties, extra postage costs or tax...Their prices, postal costs and special offers are also top notch ! ...Hoping this helps - Brian

Mark as Spam · Posted On : 1/27/2023 12:49:46 PM

Like · Dislike

Almond
Joined On 2/26/2008 4:23:33 PM
Add as Friend · Send Message

The Combination of Bromelain and Acetylcysteine (Bromlin) Synergistically Inactivates SARS-CoV-2 www.mdpi.com/.../425

Reply · Mark as Spam · Posted On : 1/27/2023 2:00:57 AM

Like · Dislike

MysticTuba
Joined On 5/29/2009 10:48:57 AM
Add as Friend · Send Message

Wow. Do you know anyone who has self experimented with this? I found a lot of studies after knowing to look. But they keep saying there isn't anything out there that works. Ivermectin works, so why is it, even in these situations, being ignored?

Mark as Spam · Posted On : 1/27/2023 10:09:12 AM

Like · Dislike

Almond
Joined On 2/26/2008 4:23:33 PM
Add as Friend · Send Message

Mystic and all... Wise words from a Mennonite friend who passed on many years ago... "Just because "the experts" do not know doesn't mean no one knows."

Mark as Spam · Posted On : 1/27/2023 11:19:04 AM

Like · Dislike

deegarsan
Joined On 6/19/2006 3:02:03 PM
Add as Friend · Send Message

I'm getting ready to discontinue taking Keratin (20 mg daily) and want to switch to Lumbrokinase. Any suggestions on how much to take?

Reply · Mark as Spam · Posted On : 1/27/2023 1:10:09 PM

Like · Dislike

Thorak1
Joined On 3/15/2021 12:41:34 PM
Add as Friend · Send Message

Continued-Metabolizing fluoride based chemo. Bingo! And that must mean fluoride based drugs, Lenvagin. Fluoride is in just about everything juices, soda, junk food and our WATER. That's why I say start with the diet and any meds these Covid patients are on that contain fluoride. First, get this poison out of our water. And you have to wonder about the patents that the Covid shots and ended up severe fibrin coagulation. Polypropylene glycol is a preservative added to some of the vaccines. It is a derivative of anti freeze. I've read where higher doses of PDG can causes blood clots.

Reply · Mark as Spam · Posted On : 1/27/2023 12:44:12 PM

Like · Dislike

Thorak1
Joined On 3/15/2021 12:41:34 PM
Add as Friend · Send Message

All of the blood clotting tails reminds me of what happened to my mom when she went through chemo. She ended up in the hospital after the 1st treatment for 6 days because of side effects and needed shots to thin her blood. This happened multiple times. One year into her chemo she developed multiple tiny clots in her lungs. The doctors had said at the time they didn't know why that happened. She passed 1-12 years after starting chemo with the cancer marker being in normal limits and the doctors were puzzled by her reaction to her chemo. She beat the cancer but the treatment killed her. I had to do research into her genetics and found that she was homozygous for MTHFR which caused her to absorb only 30 percent of her folic acid.

She was taking B12 and folic acid supplements but was not absorbing them. When they finally got around to testing her 2 weeks before she died her blood tests showed they were 3 times the normal. Some people can't absorb the man-made junk vitamins. Various articles talk about how natural B12 and folate from foods can be blocked in people with the MTHFR gene by the fortified junk vitamins they put in food. Her magnesium was always dropping below normal from the fluoride based chemo. Fluoride depletes magnesium which in turn increases calcium. Calcium is a factor in blood clotting and so is low folic acid.

She had a severe reaction to Levaquin(fluoride based) with a torn rotator cuff, severe sciatica and high blood pressure. All of the doctors she saw never heard of Levaquin doing this. Then she's given a fluoride based chemo. Disaster! I have no doubt the fluoride was the cause of the blood clots due to fluoride levels in her blood causing an increase in calcium. The MTHFR gene was another factor that doctors WONT even recognize. Low folic acid equals blood clots. Maybe the doctors should ask their Covid patients about their diet, check for MTHFR, B12 and folic acid levels. I also found in her DNA that she would have problems continued

Reply · Mark as Spam · Posted On : 1/27/2023 12:33:08 PM

Like · Dislike

Segstar
Joined On 7/3/2012 3:30:42 PM
Add as Friend · Send Message

This is a classic case of where the treatment is worse than the disease...

Mark as Spam · Posted On : 1/27/2023 2:11:46 PM

Like · Dislike

KingofthePaupers
Joined On 11/1/2018 5:11:20 PM
Add as Friend · Send Message

Any engineer who studied fluid mechanics could attest spikes in the capillaries disrupt laminar flow to cause turbulence and clots.

Reply · Mark as Spam · Posted On : 1/27/2023 8:06:41 AM

Like · Dislike

forbiddenhealing
Joined On 12/31/2011 9:51:43 AM
Add as Friend · Send Message

I took lumbrokinase during the last 2 weeks of December in order to clear blood vessels and etc. old scar tissues... and have spent most of January scratching itchy flaking skin on arms and legs... Yes, "itchies stronger!!" at least, since I have used the other potentiators many more times in the past for rashes and insect/jailbait stings. This itching nearly made me nuts! Skin tone and texture has completely changed/improved and still I slather on aloe and red palm oil so I can sleep. Still not sure of internal changes? I would recommend jailbitcoiss use of lumbrokinase and don't be surprised by crazy itchy skin.

Reply · Mark as Spam · Posted On : 1/27/2023 8:09:42 AM

Like · Dislike

forbiddenhealing
Joined On 12/31/2011 9:51:43 AM
Add as Friend · Send Message

Mystic, Yes, I'm aware of that... I think I had so many years of scratches, stings, bites, broken blood vessels in forearms and lower legs, that disorched and now are erupting in huge after flares and scabs... Maybe Dr. Mercola could delve into the benefits and side effects of his lumbrokinase, since fibrins can result anywhere as part of the inflammatory response.

Mark as Spam · Posted On : 1/27/2023 10:07:24 AM

Like · Dislike

jeff6075
Joined On 3/14/2016 1:41:14 PM
Add as Friend · Send Message

Thank you forbiddenhealing. I have been using mercola's lumbrokinase for a few months now. Only taking 1 per day... usually first thing in the morning on a very empty stomach. Then waiting about an hour before preparing my own bulletproof coffee concoction. I was considering increasing the dose... but maybe not now. How many capsules were you taking? Thank you.

Mark as Spam · Posted On : 1/27/2023 12:17:33 PM

Like · Dislike

forbiddenhealing
Joined On 12/31/2011 9:51:43 AM
Add as Friend · Send Message

Jeff, I took 1 cap/day on empty stomach... a few times I took a cap of serrapeptase w/ it. 2 weeks later, itchin like a man on a hulcia tree!

Mark as Spam | Posted On 1/27/2023 12:50:32 PM

Like Dislike

---

brianjstiles
Joined On 6/19/2006 2:06:37 PM
Add as Friend | Send Message

Hello Forbidden, I have been taking Dr M lumbrokinase over the past 2 years...As per his OWN recommentation: I alternate it with serrapeptase...Timing: to avoid food digestion activity I take both during a break from sleeping around 5 hours before I wake-up with no digestive issues whatsoever...I also pause both at weekends (my own preferance)...Actually I'm taking serrapeptase from Arthur Andrews Medical nowadays which is relatively affordable and suits me well...I didn't experience the severe itching you describe... Eventually due to the very high cost of Dr M lumbrokinase (only available size 30 caps) I limited this to only once a week...I will return to taking it 3x a week again soon...

Mark as Spam | Posted On 1/27/2023 1:54:27 PM

Like Dislike

---

forbiddenhealing
Joined On 2/21/2011 9:51:43 AM
Add as Friend | Send Message

Brian...Maybe I should have spaced it out,... one thing for sure, when I get a strong result I pay attention. I noticed long ago that papaya sap cleared a nasty plant rash on my hand...and later Adolf's bromelain was recommended for jellyfish stings, that worked too. I need to do more research and wait for anymore personal results. A quick google of lumbrokinase side effects...Top the list was itchy skin!

Mark as Spam | Posted On 1/27/2023 2:11:24 PM

Like Dislike

MannaFood
Joined On 9/7/2011 7:22:00 PM
Add as Friend | Send Message

As I recall from a grounding/earthing video I saw (can't remember where), grounding causes the red blood cells to declump and disperse freely in the blood. If that's true, then perhaps grounding can also be an effective treatment for the blood clotting. I also think drinking plenty of good clean water can help thin the viscosity of the blood and help prevent a clot.

Reply | Mark as Spam | Posted On 1/27/2023 11:26:46 AM

Like Dislike

---

thenaturalgirl
Joined On 4/30/2014 7:02:06 AM
Add as Friend | Send Message

Questionare these clots being found in persons who had had the jab prior to Covid infection? Are they found in persons not having any jabs prior to infection?

Reply | Mark as Spam | Posted On 1/27/2023 7:12:44 AM

Like Dislike

GrannyD3
Joined On 6/10/2020 7:31:44 AM
Add as Friend | Send Message

Please help me to understand why the hospital said that I have Sepsis when I have been taking at least 2,000 mg of Dr Mercola liposomal Vitamin C everyday for the last 3 years. 'I am confused.

Reply | Mark as Spam | Posted On 1/27/2023 5:29:44 PM

Like Dislike

---

jpi108
Joined On 6/12/2009 11:41:06 AM
Add as Friend | Send Message

Earthing. Earthing. Earthing! It's the most natural and effective way to thin the blood and prevent clots from forming. From this article, www.ncbi.nlm.nih.gov/pmc/articles/PMC3576907/#:~:text=Grounding%20incr.. , I quote: "Grounding increases the surface charge on red blood cells and thereby reduces blood viscosity and clumping. Grounding appears to be one of the simplest and yet most profound interventions for helping reduce cardiovascular risk and cardiovascular events." A very popular DIY earthing device can be built for almost no money, using these instructions: naturesplatform.com/earthing.html

Reply | Mark as Spam | Posted On 1/27/2023 6:40:20 AM

Like Dislike

MysticTuba
Joined On 5/28/2009 10:48:57 AM
Add as Friend | Send Message

Many people will try this by connecting the device to the ground in their house wiring. However, house wiring acts like an antenna and will resonate with everything in the vicinity, including the smart meter output and the wifi. I felt WORSE when connected to the ground wire in my house, and I don't even live near a cell tower; but the electric meters are all digital (not mine) and they broadcast. I had to connect to a hose bib to get the grounding to not be contaminated with stray EMFs.

Mark as Spam | Posted On 1/27/2023 10:20:16 AM

Like Dislike

Rovatec
Joined On 6/11/2020 7:06:43 AM
Add as Friend | Send Message

I used serrapeptase and nattokinase to reduce blood pressure (too thick). Good to have on hand. Lumbrokinase might be better but could not find at health food store.

Reply | Mark as Spam | Posted On 1/27/2023 8:22:22 AM

Like Dislike

---

mrrobb
Joined On 6/15/2011 2:41:18 PM
Add as Friend | Send Message

IDK.....just face the fact.....you are gonna die dead...If you willing let some clown ram a needle in your arm because da TV said to, you're really NOT very bright. Masks.....if you wear a mask, again you are not very bright.....OK if you have a mask on you face and you can smell anything.....than your mask is NOT Working.... you are really showing how really ignorant you are and how much Da TV Runs you life....more like "Monkey See--Monkey Do!!"

Reply | Mark as Spam | Posted On 1/27/2023 2:51:05 AM

Like Dislike

Post your comment

Previous Article | View More

Join the World's #1 Natural Health Newsletter for FREE!
Latest Trustworthy News from Dr. Mercola — delivered straight to your inbox!

Enter your email address | Subscribe Now!

Mercola proudly supports these charities and organizations. View All

Disclaimer: The entire contents of this website are based upon the opinions of Dr. Mercola, unless otherwise noted. Individual articles are based upon the opinions of the respective author, who retains copyright as marked. The information on this website is not intended to replace a one-on-one relationship with a qualified health care professional and is not intended as medical advice. It is intended as a sharing of knowledge and information from the research and experience of Dr. Mercola and his community. Dr. Mercola encourages you to make your own health care decisions based upon your research and in partnership with a qualified health care professional. If you are pregnant, nursing, taking medication, or have a medical condition, consult your health care professional before using products based on this content.

If you want to use an article on your site please click here. This content may be copied in full, with copyright, contact, creation and information intact, without specific permission, when used only in a not-for-profit format. If any other use is desired, permission in writing from Dr. Mercola is required.

Terms & Conditions • Updated Privacy Policy
© 1997-2023 Dr. Joseph Mercola. All Rights Reserved.

TrustedSite CERTIFIED SECURE